

## INDEX TO VOLUME 77(1991)

## AUTHORS

- Aasen, G: see Fritzsche, 106-107  
Anderson, L.W.J.: see Pine, 27-35  
Araya-Núñez, O., B. Ganning, and F. Bückle-Ramirez: Gonad maturity, induction of spawning, larval breeding, and growth in the American pearl-oyster, 181-193  
Baldrige, A., and L.L. Rogers: Harbor seal predation on a wolf-eel, 210-211  
Barnum, D.A., and N.H. Euliss, Jr.: Impacts of changing irrigation practices on waterfowl habitat use in the southern San Joaquin Valley, California, 10-21  
Bleich, V. C., and D. Racine: Mountain beaver (*Aplodontia rufa*) from Inyo County, California, 153-155  
Brooks, D.: see Colt, 41-50  
Brooks, M.: see Heyne, 53-54  
Bückle-Ramirez, F.: see Araya-Núñez, 181-193  
Cardenas, L.: see Romero, 212-213  
Cech, J.J., Jr.: see Yip, 36-40  
Clark, D.R., Jr. and R.L. Hothem: Mammal mortality at Arizona, California, and Nevada gold mines using cyanide extraction, 61-69  
Colt, J.E., K. Orwicz, and D. Brooks: Gas supersaturation in the American River, 41-50  
Edelmann, F: Fall migration patterns of common snipe, 101-102  
Ellison, J.P.: see Moyle, 161-180  
Erickson, D.L., E.L. Pikitch, and J.W. Orr: Northern range extension for the square-spot rockfish (*Sebastes hopkinsi*), 51-52  
Euliss, N.H., Jr.: see Barnum, 10-21  
Everest, L.: see Fritzsche, 106-107  
Fritzsche, R., G. Aasen, L. Everest, P. Petros, and S. Shimek: Northern range extension for the zebraperch (*Hermosilla azurea*, Jenkins and Evermann), 106-107  
Ganning, B: see Araya-Núñez, 181-193  
Gibbs, M.A.: Notes on the distribution and morphology of the rubynose brotula (*Cataetys rubrostris*) off Central California, 149-152  
Grenfell, W.E.: see Laudenslayer, 109-141  
Grinnell, J.: Bird life as a community asset, 58-60  
Heyne, T., B. Tribbey, M. Brooks, and J. Smith: First record of Mozambique tilapia in the San Joaquin Valley, California, 53-54  
Hill, J.P., and W.J. Matter: Macroinvertebrate colonization of Hester-Dendy samplers in different orientations to water flow, 94-97  
Hothem, R.L.: see Clark, 61-69  
Jennings, D.P.: see Williams, 86-93  
Jennings, M.R., and J.V. Vindum: A new tool for safely killing venomous snakes in the field, 103-105  
Kucera, T.E.: Genetic variability in tule elk, 70-78  
Laudenslayer, W.M., Jr., W.E. Grenfell, and D.C. Zeiner: A check-list of the amphibians, reptiles, birds, and mammals of California, 109-141  
Littrell, E.E.: Mercury in western grebes at Lake Berryessa and Clear Lake, California, 142-144  
Livezey, K. B.: Home range, habitat use, disturbance, and mortality of Columbian black-



- tailed deer in Mendocino National Forest, 201-209
- Magaña, F.: see Romero, 212-213
- Malachowski, M.: Hermaphroditism in the rock scallop (*Crassadoma giganteus*) in Humboldt Bay, California, 98-100
- Matter, W.J.: see Hill, 94-97
- Moore, R.H.: First record of the leather bass (*Epinephelus dermatolepis*, Boulenger) in Southern California, 145-147
- Moyle, P.B., and J.P. Ellison: A conservation-oriented classification system for the inland waters of California, 161-180
- Novak, B.: see Thomas, 194-200
- Olipant, M.S.: Note on the occurrence and range extension of the sailfish (*Istiophorus platypterus*) off Dana Point, California, 148
- Orr, J.W.: see Erickson, 51-52
- Orthmeyer, D.L.: Attachment methods for radio transmitters on mallard ducklings, 22-26
- Petros, P.: see Fritzsche, 106-107
- Pikitch, E.K.: see Erickson, 51-52
- Pine, R.T., and L.W.J. Anderson: Effect of triploid grass carp on submersed aquatic plants in northern California ponds, 27-35
- Racine, D.: see Bleich, 153-155
- Raveling, D.G., and D.S. Zezulak: Autumn diet of cackling Canada geese in relation to age and nutrient demand, 1-9
- Rogers, L.L.: see Baldrige, 210-211
- Romero, J.R., L. Cardenas, and F.G. Magaña: First record of partial ambicoloration in spotted turbot (*Pleuronichthys ritteri*), 212-213
- Ruggerone, G.T.: Partial xanthism in an adult chum salmon, *Onchorhynchus keta*, near Chignik, Alaska, 55-56
- Schmidt, R.H.: Gray wolves in California: their presence and absence, 79-85
- Shimek, S.: see Fritzsche, 106-107
- Smith, J.: see Heyne, 53-54
- Thomas, R., and B. Novak: Helicopter drive-netting techniques for mule deer capture on Great Basin ranges, 194-200
- Tribbey, B.: see Heyne, 51-52
- Vindum, J.V.: see Jennings, 103-105
- Williams, J.D., and D.P. Jennings: Computerized data base for exotic fishes: the western United States, 86-93
- Yip, G.M., and J.J. Cech, Jr.: Food consumption rate of juvenile dwarf surfperch (*Micrometrus minimus*): temperature and temporal effects, 36-40
- Zeiner, D.C.: see Laudenslayer, 109-141
- Zezulak, D.S.: see Raveling, 1-9

## SUBJECT

- Amphibians, reptiles, birds, and mammals: check-list, 109-141
- Bass, leather: range extension, 145-147
- Bird life: community asset, 58-60
- Cackling Canada geese: diet, 1-9
- Carp, grass: effect on aquatic plants, 27-35
- Cyanide extraction: mammal mortality, 61-69

Deer, Columbian black-tailed: home ranges and habitats, 201-209  
Deer, mule: Helicopter drive-net capture techniques, 194-200  
Eel, wolf: prey of harbor seal, 210-211  
Elk, tule: genetic variability, 70-78  
Fishes, exotic: data base, 86-93  
Gas supersaturation: American River, 41-50  
Grebes, western: Mercury levels, 142-144  
Inland waters of California: classification system, 161-180  
Macroinvertebrates: colonization of Hester-Dendy samplers, 94-97  
Mallard ducklings: radio transmitter attachment, 22-26  
Mountain beaver: Inyo County, 153-155  
Obituaries: 158-160  
Oyster, pearl: reproduction and growth, 181-193  
Rockfish, squarespot: range extension, 51-52  
Rubynose brotula: distribution and morphology, 149-152  
Sacramento River: toxic spill, 156-157  
Sailfish: range extension, 148  
Salmon, chum: partial xanthism, 55-56  
Scallop, rock: Hermaphroditism, 98-100  
Snakes, venomous: tool for killing, 103-105  
Snipe, common: migration, 101-102  
Surfperch, dwarf: food consumption rate, 36-40  
Tilapia, Mozambique: first record in San Joaquin Valley, 53-54  
Turbot, spotted: ambicoloration, 212-213  
Waterfowl habitat: irrigation impacts, 10-21  
Wolves, Gray: in California, 79-85  
Zebraperch: range extension, 106-107

### SCIENTIFIC NAMES

*Aechmophorus occidentalis*, 142-144  
Amphibians, reptiles, birds, and mammals in California, 109-141  
*Anarrhichthys ocellatus*, 210-211  
*Anas acuta*, 10-21  
*Anas clypeata*, 10-21  
*Anas crecca*, 10-21  
*Anas cyanoptera*, 10-21  
*Anas platyrhynchos*, 10-21, 22-26  
*Aplodontia rufa*, 153-155  
*Aquila chrysaetos*, 7  
*Artemia* sp., 36-40  
*Branta canadensis minima*, 1-9  
*Canis latrans*, 79-85  
*Canis lupus*, 79-85  
*Cataetyx rubrirostris*, 149-152  
*Cervus elaphus nannodes*, 70-78  
*Chara* sp., 27-35  
*Crassadoma giganteus*, 98-100

- Ctenopharygodon idella*, 27-35  
*Epinephelus dermatolepis*, 145-147  
Exotic fish species in California, 86-93  
Fish of California's inland waters (representative species), 161-180  
*Gallinago gallinago*, 101-102  
*Haliaeetus leucocephalus*, 7  
*Hermosilla azurea*, 106-107  
*Istiophorus platypterus*, 148  
*Micrometrus minimus*, 36-40  
*Odocoileus hemionus hemionus*, 194-200  
*Odocoileus hemionus columbianus*, 201-209  
*Oncorhynchus keta*, 55-56  
*Oreochromis mossambicus*, 53-54  
*Oxyura jamaicensis*, 10-21  
*Phoca vitulina*, 210-211  
*Pleuronichthys ritteri*, 212-213  
*Pteria sterna*, 181-193  
*Sebastes hopkinsi*, 51-52  
*Tilapia mossambica*, 53-54